



Front Link System








Montone plant (PG)

For years, **Aries** has produced both front and back towing, hitching and lifting systems for important sector customers. A rich partnership experience providing deep knowledge which enables us to reach the most innovative solutions and meet the real needs of the single products as quickly as possible.

Aries products are studied, designed and implemented to totally satisfy the end users, who have always been our point of reference.





Front Link closed with PTO



ADVANTAGES OF THE FRONT LINK SYSTEM

In a more and more competitive production system, in order to gain high margins, the categorical imperative is to knock times and costs down.

An implement hitch and a power take-off at the front of the tractor greatly contribute towards the increase of the productivity, allowing: combined working, one-trip transport of two machine tools, ballast hooking and unhooking in a short time, better visibility and manoeuvrability.



Combined working



One-trip transport of two machine tools






Ballast hooking and unhooking



Better visibility and manoeuvrability



Aries has a complete range of front implement hitches according to the various lifting capacities, from 800 to 5,000kg.

The installation is easy and fast, since it is provided already pre-assembled and equipped with a kit for the easy connection to the tractor.

The hydraulic connection is rather easy as well: it is enough to spread and pass the relevant connecting pipes through the tractor.

WINNING CHARACTERISTICS

Anticorrosive treatment before painting

A special cataphoresis treatment before painting assures an oxidation resistance level at least 3 times as high as the normal standards of the sector.

Personalized tractor mounting kit

The anchor clamping and the hydraulic kit supplied for the connection to the tractor are studied for every singe model and make mounting easier and faster.

Double effect, simple effect and locked working

Thanks to a special selector, **Aries** front lift can have a double effect working (lifting and push), a single effect working (lifting and lowering by fall) and locked arm working.

Adjustable linking arms

Aries lift arms can be adjusted in order to be fixed steadily, or in floating position. Furthermore, they can be closed when not used.

Standard top link and Aries special fast hitch hook equipment

Aries fast hitch hooks are recognized as the most resistant and reliable ones in the market. Their excellence is given by the special kinematic mechanism of the cutoff (Aries patent), which assures high safety levels and fast maintenance.

Modular structure of the system

Buying an **Aries** lift means investing properly: it can be fitted to any new tractor model simply by buying a new hitch kit.



Aries front PTO is designed and manufactured thanks to the great experience **Aries** gained in the production of agricultural transmission groups, and it is characterized by specific contents and devices for a safe and fast mounting.

It is characterized by an internal multi-plate oil bath clutch; it has its own integrated hydraulic circuit and does not require external supply from the tractor services.

The management of **Aries** front PTO groups is controlled by an electric-hydraulic system which guarantees a gradual starting, adjustable according to the specific characteristics of the hooked equipment. This allows to reduce the collisions between equipment and tractor during starting to a minimum, thus protecting their integrity.

WINNING CHARACTERISTICS

Wholly integrated system

Aries PTO electric-hydraulic drive circuit is completely integrated in the PTO itself.

Multi-plate oil bath hydraulic clutch

The plates **Aries** has chosen are the best ones available on the market and are equipped with a special sinusoidal profile which guarantees a smooth mechanical mating for the protection of the motor.



Clutch plates



Adjustable electric-hydraulic system

As well as the smooth mating guaranteed by the clutch, a special starting adjustment device allows a further adjustment of the time necessary for the PTO to reach the maximum rev speed, considering the machine used; optimizing the working of the machine tractor connection.

Excellent performances

Special tests carried out even by measuring the temperature reached by **Aries** PTO after a continuous and prolonged use demonstrate the excellent performances guaranteed by the whole system.

OPTIONALS

Shock absorber kit

Front chain anchor kit

Auxiliary hydraulic takeoffs

Working headlights kit

Lift control pushbuttons at the front of the tractor

Ballast carrying frame



Lift control pushbuttons



Working headlights



Shock absorber



Chain anchor



Auxiliary hydraulic takeoffs



Ballast carrying frame



Tiberina Technical Center in Umbertide (PG)

Aries company operates in the Off-Highway sector and is, together with Cab Plus and Overmek, one of the Agricultural and Construction Equipment platform bases of **Tiberina**, an Industrial Group having 15 plants and over 1000 employees.

Aries gains great benefit from the strong synergies with the other **Tiberina** platform, the automotive one. Thanks to the constant exchange of technologies and know-how with one of the most innovative industrial sectors of the Country, **Aries** has enriched its range with great innovations and evidently improved the standard products already present on the market.

The platform is located in the modern **Tiberina** Technical Center in Umbertide, and it boasts first-rate equipment, resources and knowledge to study and implement product solutions characterized by high innovation and great competitiveness for the sector.





Front Link with PTO mounted



Z.I. Madonna del Moro - 06019 UMBERTIDE (PG) ITALIA



Via dell' Industria 14 - 06014 MONTONE (PG) ITALIA - Tel. +39 075 942521 - Fax +39 075 9417721 www.ariestiberina.it - E-mail: aries@ariestiberina.it

Associated



Partner



dealer -